LudoCrea.ch GmbH — 6074 Giswil

info@ludocrea.ch

Rope Nest



The broad pitch of the roof shelters a small rope structure in which children can sit or lie together. Gentle rocking creates a pleasant, relaxing movement of the net. The rope nest offers small and larger children a place to retreat or to relax and watch the world go by.



Photo © Valentin Luthiger






Fundamental characteristics

- Child proportions according to ergonomic knowledge
- Shelter
- Attractive meeting point
- Incentive for playing: role-playing games, hide, observe

Recommended for

- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar





Safety check according to DIN EN 1176

Components

- 1 Two-part roof construction with steel feet
- 1 Rope nest with suspension

Installation information

Surfacing requirements corresponding to a fall height of ≤ 0.60 m (please refer to price list for more detailed information)

Foundations 4 items 50 x 80 x 60 cm Excavation depth 80 cm

Attention:

Exact measurements may vary, for all installation dimensions refer to current installation instructions. Technical changes reserved.

Technical information

Equipment made of non-impregnated mountain larch

Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Tongue and groove

Tongue and groove planks made of 4 cm solid wood, highly resilient, no trickling of dust / sand, protection against direct rain



Hercules rope

Hercules rope, for spliced net connections. A compound of steel rope for the core and polyester or polyamide yarn for the sheath. High abrasion resistance, 4 or 6 strands



Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends



S-connectors

S-connectors Ø 8.1 mm, made of high-quality stainless steel, rounded



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

Fittings hot-dip galvanised

Dimensions

(small deviations possible)

2.30 m
4.35 m
2.30 m
400 kg

