

### Play value

Our Ocean Raft is fun not only for the little ones, but also for older children. The child explorers can rock happily on the waves, especially with someone standing at the mast and providing a strong wind. The less courageous ones can sit comfortably on the raft and plan the rest of the trip together. Nobody falls off, even in a storm, because one can hold on tightly to the mast rigging. The Ocean Raft encourages physical activity and creative role-playing games.



### Fundamental characteristics

- Unique and original
- Three-point suspension evokes the illusion of being on a ocean raft
- Incentive for playing: shape, mast guy
- Movement: moving one's centre of gravity, rocking (side to side), swinging

### Recommended for

- Kindergarten children
- School children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar


### Ocean Raft



6.03600 / 6.03601

**Order No. 6.03600 / 6.03601**  
**Ocean Raft**

Safety distance →  
Device dimensions —●—  
Functional distance —|—



Scale 1:100

Safety check according to DIN EN 1176

**Components**

**Order No. 6.03600**

- 1 Raft with mast
- 3 Stand posts of robinia

**Order No. 6.03601**

As above, but stand posts made of hot-dip galvanised steel tube Ø 178 mm

**Installation information**

Surfacing requirements corresponding to a fall height of ≤ 1.00 m (please refer to price list for more detailed information)

Foundations  
3 items 80 x 80 x 80 cm  
Excavation depth 100 cm

**Attention:**  
**Exact measurements may vary;**  
**for all installation dimensions refer**  
**to current assembly instructions.**  
Technical changes reserved.

**Technical information**

Equipment made of non-impregnated mountain larch

**Peeled white**

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



**Bevel cut**

Vertical stand posts with bevelled end grain section as constructive wood preservation measure



**Core-free**

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



**Claddings**

Claddings made of mountain larch (4 – 5 cm). Peeled white by hand, natural tree surface remains tangible and perceptible



**Universal joint**

Drop-forged, hot-dip galvanised universal joint, consists of two sintered bushes, for free swinging in any direction



**Profiled washer**

Profiled washer for covering protruding screw heads according to standard, improved pressure distribution and protection against water. Impedes loosening the bolt



**Adjustable**

Adjustable two-piece bolt connection, easy to maintain, no projecting threads



**Sintered bush**

For all reciprocating movements we use sintered plain bearings which are self-lubricating in use and can easily be exchanged if necessary



**Stainless Chains**

Chains made of steel with high corrosion resistance. Short-linked, without eyelets on the connecting parts, easily replaceable and simple shortening



**For more detailed explanation of the quality characteristics see price list.**

Fittings hot-dip galvanised

**Order No. 6.03601**

As above, but in addition with

**Ground anchor**

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel




**For more detailed explanation of the quality characteristics see price list.**

**Dimensions**

(small deviations possible)

Length	3.50 m
Width	2.20 m
Seat height	0.70 m
Weight	300 kg



6.03600 / 6.03601