Design R. Lex-Kerfers

info@ludocrea.ch

# **Play value**

The Circular See-saw and the Springing Circle are unusual and well designed seesaw play equipment. Above all if more than two players sit or stand on them. Their special design and the selection of quality materials make them suitable for installation in pedestrian zones, on public places and similar areas in town centres. The Springing Circle can also be used as attractive alternative seating. It is pleasant to sit on the ring rocking slightly and chatting.



Order No. 6.11800 Springing Circle



Order No. 6.11900 Circular See-saw

### **Fundamental characteristics**

- Unique and original
- High-quality metal design
- Incentive for playing: circular shape
- Movement: rocking (back and forth), bouncing, jumping, balancing

# **Recommended for**

- School children
- Young people
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar










6.11800

6.11900



Safety check according to DIN EN 1176

# Components

# Order No. 6.11800

1 Springing circle with springs, clamps and foundation anchors

## Order No. 6.11900

1 Circular See-saw with 2 support posts

# Installation information

Surfacing requirements corresponding to a fall height of **Order No. 6.11800**  $\leq 0.60 \text{ m}$ **Order No. 6.11900** ≤ 1.00 m (please refer to price list for more detailed information)

### Foundations

Order No. 6.11800 **Springing Circle** 8 items 40 x 40 x 50 cm Excavation depth 60 cm Order No. 6.11900 Circular See-saw 2 items 60 x 60 x 60 cm Excavation depth 80 cm

#### Attention:

Exact measurements may vary; for all installation dimensions refer to current assembly instructions. Technical changes reserved.

#### **Technical information**

Equipment made of stainless steel, glass-bead blasted

# Order No. 6.11800 **Springing Circle**

#### **Ground anchor**

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



Springs powder coated, standard colour red

### Order No. 6.11900 **Circular See-saw**

## **Plywood**

Plywood made of mountain larch, three-layer (3 cm) or five-layer (4 cm). High dimensional stability, waterproof, glued according to DIN EN 13353:2011



#### **Ground anchor**

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



### For more detailed explanation of the quality characteristics see price list.

Hot-dip galvanised see-saw mechanism with integrated shock absorbers

# **Dimensions**

(small deviations possible)

## Order No. 6.11800 **Springing Circle**

Height 0.35 m **Exterior dimensions** 3.00 x 2.00 m Weight 185 kg

#### Order No. 6.11900 **Circular See-saw**

Height  $0.60 \, \text{m}$ **Exterior dimensions** 2.70 x 1.80 m Weight 170 kg





6.11800

6.11900