



Photo © Concetto Studios



Photo © Tristan Filippone

Play value

Because of its individual shape, the Pyramid Tower catches the eye and is therefore suited as a playground signal and lends the site an unmistakable character. The metal tip shines in the sunlight and the cladding is transparent, letting light pass through, despite its sturdiness. A colour design provides an interesting accentuation. If the towers are grouped, it is possible to create a spectacular slide system with connecting tunnels which will undoubtedly form a big attraction in leisure areas.



Photo © Concetto Studios

Fundamental characteristics

- Unique and original
- High-quality design
- High aesthetic value
- Incentive for playing: experiencing height, curiosity
- Movement: climbing



Recommended for

- School children
- Young people
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks, leisure areas or similar

Small Pyramid Tower
Middle Pyramid Tower
Midsize Pyramid Tower
Big Pyramid Tower



L3.41000 - L3.43000

Order No. L3.41000
Small Pyramid Tower

Order No. L3.43000
Big Pyramid Tower


Scale 1:100

Safety check according to DIN EN 1176

Components
Order No. L3.41000
Small Pyramid Tower

- 4 Posts with steel feet
- 3 Floors, one-piece construction
- 4 Panels
- 1 Ladder
- 1 Tip

Order No. L3.42000
Middle Pyramid Tower

- 4 Posts with steel feet
- 5 Floors, one-piece construction
- 8 Panels
- 1 Ladder
- 1 Tip

Order No. L3.42500
Midsize Pyramid Tower

- 4 Posts with steel feet
- 7 Floors, one-piece construction
- 12 Panels
- 2 Ladders
- 1 Tip

Order No. L3.43000
Big Pyramid Tower

- 4 Posts with steel feet
- 8 Floors, one-piece construction
- 1 Floor, two-piece construction with post
- 16 Panels
- 2 Ladders
- 1 Tip

Technical information

Equipment made of non-impregnated mountain larch

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced


Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape


Claddings

Claddings made of mountain larch (4 – 5 cm). Peeled white by hand, natural tree surface remains tangible and perceptible


Tongue and groove

Tongue and groove planks made of 4 cm solid wood, highly resilient, no trickling of dust / sand, protection against direct rain


Hardwood rungs

Climbing rungs made of hardwood (ash) Ø 4.2 cm, milled and mortised, secured against twisting, easy to grip and not cold for children to touch


Interlocking

Interlocking connection, with milled metal rings or serrated disc dowels, to reinforce the bolt connection under high loads transverse to the grain direction of the wood


Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel


For more detailed explanation of the quality characteristics see price list.

Tip made of stainless steel, glass bead blasted

Dimensions
deviations possible)
Order No. L3.41000
Small Pyramid Tower

Height	7.00 m
Floor heights	1.00 - 3.00 m
Ground surface	2.50 x 2.50 m
Support posts diameter	22 - 24 cm
Weight	approx. 1500 kg

Order No. L3.42000
Middle Pyramid Tower

Height	9.00 m
Floor heights	1.00 - 5.00 m
Ground surface	3.30 x 3.30 m
Support posts diameter	25 - 29 cm
Weight	approx. 3000 kg

Order No. L3.42500
Midsize Pyramid Tower

Height	11.00 m
Floor heights	1.00 - 7.00 m
Ground surface	4.00 x 4.00 m
Support posts diameter	25 - 29 cm
Weight	approx. 4000 kg

Order No. L3.43000
Big Pyramid Tower

Height	13.00 m
Floor heights	1.00 - 9.00 m
Ground surface	4.80 x 4.80 m
Support posts diameter	26 - 35 cm
Weight	approx. 6000 kg


L3.41000 - L3.43000



Small Pyramid Tower
Middle Pyramid Tower
Midsized Pyramid Tower
Big Pyramid Tower



L3.41000 - L3.43000



Photo © Tristan Filippone

Installation information

Surfacing requirements
corresponding to a fall height of ≤ 1.00 m
(please refer to price list for more
detailed information)

Foundations

Order No. L3.41000

Small Pyramid Tower

4 items 100 x 100 x 80 cm
Excavation depth 100 cm

Order No. L3.42000

Middle Pyramid Tower

4 items 100 x 100 x 100 cm
Excavation depth 120 cm

Order No. L3.42500

Midsized Pyramid Tower

4 items 150 x 150 x 100 cm
Excavation depth 120 cm
1 item 90 x 30 x 50 cm
Excavation depth 70 cm

Order No. L3.43000

Big Pyramid Tower

4 items 150 x 150 x 100 cm
Excavation depth 120 cm
1 item 90 x 30 x 50 cm
Excavation depth 70 cm
1 item 40 x 40 x 50 cm
Excavation depth 70 cm

Attention:

**Exact measurements may vary, for
all installation dimensions refer to
current installation instructions.
For special climatic conditions, the
equipment is also available with sup-
port posts made of glued laminated
beams in mountain larch with square
cross-section.**

Technical changes reserved.

