

Instructions for wear checks of play equipment

The equipment must be checked for correct operation and safety, especially the points listed below:

Proof of maintenance

Playground.....

Date of installation


Checks depend on the type of equipment. Any equipment with moving parts must be checked at least twice a year, static equipment at least once a year.

Intervals for maintenance work and checks generally depend on


- location
- usage
- frequency of use
- possible vandalism

For more details see also our general instructions for maintenance of playgrounds!


Partner Pendulum
Order No. L7.67000 / R7.67000 / 7.67001



detailed diagram A



detailed diagram B



Wooden parts

1. Check for rot and, if necessary, smooth out splinters and round off sharp edges of cracks.
2. **Recommendation:** apply paraffin wax to the upper end grain areas once a year, especially steel feet near the ground, please refer to Order No. 0.90100, 1 litre.

Metal / Fittings

3. Check that joint can move smoothly in both directions (**see detailed diagram A**).
4. Make sure that the swivels move smoothly, apply small amount of grease if required (**see detailed diagram A**).
5. Check connection to wood; the tie joint must fit closely (**see detailed diagram A**).
6. Check that the connection between the tyre platform and the steel disc as well as the upper connection of the pendulum pole is tight and retighten if necessary.

Ropes

7. Check for wear and tear. Replace if steel reinforcement is damaged.
8. Check that the upper connections of the tensioning ropes are tight, the ropes must be taut – retighten if necessary (**see detailed diagram B**) shorten the chain if necessary.

more points on next page

Special notes, e.g. for repairs


Repair not carried out, it is still possible to play on equipment





Repair not carried out, equipment is taken out of action

All work carried out, everything is in order

Maintenance carried out by:

..... Date

| Instructions for wear checks of play equipment | The equipment must be checked for correct operation and safety, especially the points listed below: | Proof of maintenance |
|--|--|--|
| <p>Playground.....</p> <p>Date of installation</p> <p>Checks depend on the type of equipment. Any equipment with moving parts must be checked at least twice a year, static equipment at least once a year.</p> <p>Intervals for maintenance work and checks generally depend on</p> <ul style="list-style-type: none"> - location - usage - frequency of use - possible vandalism <p>For more details see also our general instructions for maintenance of playgrounds!</p> <p>Partner Pendulum Order No. L7.67000 / R7.67000 / 7.67001</p>  | <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">Rubber</div> <p>9. Check tyres for wear and tear as well as for vandalism; replace if required. <input style="float: right;" type="checkbox"/></p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">Structural stability</div> <p>10. Uncover the foundations once a year in order to check the structural stability as follows:</p> <ul style="list-style-type: none"> - wood for rot - steel for corrosion - anchoring to the ground for stability - condition of concrete foundations <p>11. Check all bolts; retighten if necessary. <input style="float: right;" type="checkbox"/></p> | <div style="border: 1px solid black; height: 100%; width: 100%; position: relative;"> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: small;"> Special notes, e.g. for repairs </div> </div> |
| | <p>Repair not carried out, it is still possible to play on equipment <input style="float: right;" type="checkbox"/></p> | |
| | <p>Repair not carried out, equipment is taken out of action <input style="float: right;" type="checkbox"/></p> | |
| | <p>All work carried out, everything is in order <input style="float: right;" type="checkbox"/></p> | |
| | <p>Maintenance carried out by:</p> <p>..... Date</p> | |
| <p>For spare parts refer to next page.</p> | | |

| | | | |
|--|--|---|---|
| <p>Spare parts Partner Pendulum Order No. L7.67000 / R7.67000 / 7.67001</p>  | | <p>Please note that the safety standards of the equipment must not be affected. Therefore, when carrying out repairs it is helpful to only use original parts.</p> | |
| Order No. | Spare parts | Order No. | Spare parts |
| 0.89000 | <p>1 set of fittings <i>version from 02/2000</i></p>  | 99.01190 | <p>Tyre with wooden floor for conversion <i>for version until 03/2018</i></p> |
| | | 99.01489 | <p>Tyre with wooden floor for exchange <i>for version from 04/2018</i></p>  |
| | | 99.01110 | <p>Pendulum pole with tyre <i>for version from 01/2000 with round steel flange at the top</i></p> <p>Note: <i>for equipment older than 01/2000, please state the year of manufacture!</i></p>  |
| 0.20012 | <p>Stainless steel machine screw, reinforced</p>  | | |
| 0.88193 | <p>Square block steel, reinforced</p>  | | |
| <p>Note This list includes only the spare parts ordered most frequently. Other spare parts on request.</p> | | | |